L Number	Hits	Search Text	DB	Time stamp
3	179	345/207.ccls. and @ad<20010425	USPAT;	2003/12/29
			US-PGPUB;	09:49
		·	EPO; JPO;	00140
			DERWENT	
4	101	345/102.ccls. and @ad<20010425 and ((light	USPAT;	2003/12/29
•		adj detector) or (photodetector) or (sensor))	US-PGPUB;	09:49
		day acted to (photoacted to (sensor))	EPO; JPO;	03143
			DERWENT	
5	36	345/102.ccls. and @ad<20010425 and ((light	USPAT:	2003/12/29
J	30	adj detectors) or (photodetectors) or	US-PGPUB;	09:49
		(sensors))		U9:49
		(Selisors))	EPO; JPO; DERWENT	
c	42	245/964 colo and @add20040425 and //ii-ht		2002/42/20
6	13	345/864.ccls. and @ad<20010425 and ((light	USPAT;	2003/12/29
		adj detector) or (photodetector) or (sensor))	US-PGPUB;	09:49
			EPO; JPO;	
_		045/004 1 1- 0- 1400040405	DERWENT	2000/40/00
7	53	345/864.ccls. and @ad<20010425	USPAT;	2003/12/29
			US-PGPUB;	09:49
			EPO; JPO;	
_	_		DERWENT	
8	7	345/589.ccls. and @ad<20010425 and (PDA	USPAT;	2003/12/29
		or (personal adj digital adj assistant))	US-PGPUB;	09:49
			EPO; JPO;	
_	_		DERWENT	
9	4	345/589.ccls. and @ad<20010425 and ((light	USPAT;	2003/12/29
		adj detector) or (photodetector))	US-PGPUB;	09:49
			EPO; JPO;	9
			DERWENT	
10	179	345/207.ccls. and @ad<20010425	USPAT;	2003/12/29
			US-PGPUB;	09:49
			EPO; JPO;	
			DERWENT	
11	3	345/102.ccls. and @ad<20010425 and	USPAT;	2003/12/29
		"automatic brightness control"	US-PGPUB;	09:49
			DERWENT	
-	3	cheri-yann.in.	USPAT;	2003/04/09
			US-PGPUB;	08:11
			EPO; JPO;	
			DERWENT	
-	2	escande-thierry.in.	USPAT;	2003/04/08
			US-PGPUB;	11:22
			EPO; JPO;	
			DERWENT	
-	857	@ad<20010425 and (PDA or (personal adj	USPAT;	2003/08/11
		digital adj assistant) or "palm pilot" or	US-PGPUB;	16:03
		"palmtop" or "handheld") and ((light adj	EPO; JPO;	
		(detector or sensor)) or photodetector)	DERWENT	

-	825	@ad<20010425 and (PDA or (personal adj	USPAT;	2003/04/08
		digital adj assistant) or "palm pilot" or	US-PGPUB;	11:35
		"handheld") and ((light adj (detector or	EPO; JPO;	
		sensor)) or photodetector)	DERWENT	
-	325	@ad<20010425 and (PDA or (personal adj	USPAT;	2003/04/08
		digital adj assistant) or "palm pilot") and	US-PGPUB;	11:38
	-	((light adj (detector or sensor)) or	EPO; JPO;	
		photodetector)	DERWENT	
-	2	6188177.pn.	USPAT;	2003/04/08
			US-PGPUB;	12:03
			EPO; JPO;	
			DERWENT	
-	2	5952992.pn.	USPAT;	2003/04/08
			US-PGPUB;	13:02
		·	EPO; JPO;	
			DERWENT	
-	2	5883605.pn.	USPAT;	2003/04/08
			US-PGPUB;	13:02
			DERWENT	
-	2	5747938.pn.	USPAT;	2003/04/08
			US-PGPUB;	13:02
			DERWENT	
-	2	5666028.pn.	USPAT;	2003/04/08
			US-PGPUB;	13:03
			EPO; JPO;	
	_		DERWENT	
-	2	5554912.pn.	USPAT;	2003/04/08
			US-PGPUB;	13:03
			EPO; JPO;	
			DERWENT	0000104100
-	2	5428265.pn.	USPAT;	2003/04/08
			US-PGPUB;	13:04
			EPO; JPO;	
	2	E270949 mm	DERWENT	2003/04/09
-		5270818.pn.	USPAT; US-PGPUB;	2003/04/08 13:10
			EPO; JPO;	13.10
			DERWENT	
	616	345/589.ccls. and @ad<20010425	USPAT;	2003/04/08
		C-15,550100101 MIIM GMM -20010-720	US-PGPUB;	13:10
			EPO; JPO;	100
			DERWENT	
	5	345/589.ccls. and @ad<20010425 and (PDA	USPAT;	2003/12/29
		or (personal adj digital adj assistant))	US-PGPUB;	09:48
		/F	EPO; JPO;	
			DERWENT	
•	4	345/589.ccls. and @ad<20010425 and ((light	USPAT;	2003/12/29
		adj detector) or (photodetector))	US-PGPUB;	09:48
			EPO; JPO;	
			DERWENT	
		<u> </u>		L

•	48	345/864.ccls. and @ad<20010425	USPAT; US-PGPUB; EPO; JPO; DERWENT	2003/12/29 09:48
-	166	345/207.ccls. and @ad<20010425	USPAT; US-PGPUB; EPO; JPO;	2003/12/29 09:48
-	32	("COMPAQ COMPUTER CORPORATION".as. or "COMPAQ COMPUTER CORPORATION-COMPAQ".as. or "COMPAQ	DERWENT USPAT; US-PGPUB; DERWENT	2003/04/08 14:28
		COMPUTER CORP.".as. or "COMPAQ COMPUTER INC.".as. or "COMPAQ TELECOMMUNICATIONS CORPORATION".as.) and (("pocket pc") or		
-	12	(handheld)) ("COMPAQ COMPUTER CORPORATION".as. or "COMPAQ COMPUTER CORPORATION-COMPAQ".as. or "COMPAQ	USPAT; US-PGPUB; DERWENT	2003/04/08 14:29
		COMPUTER CORP.".as. or "COMPAQ COMPUTER INC.".as. or "COMPAQ TELECOMMUNICATIONS CORPORATION".as.) and (("photo detector")		
	565	or (photodetector) or ("light detector") or ("light sensor")) ("HEWLETT-PACKARD".as. or	USPAT;	2003/04/08
		"HEWLETT-PACKARD COMANY".as. or "HEWLETT-PACKARD COMPANY".as. or "HEWLETT-PACKARD COMPNAY".as. or "HEWLETT-PACKARD CORPORATION".as.	US-PGPUB; DERWENT	14:40
		or "HEWLETT-PACKARD CO LEGAL DEPT.".as.) and (("photo detector") or (photodetector) or ("light detector") or ("light sensor"))		
-	141	("HEWLETT-PACKARD".as. or "HEWLETT-PACKARD COMANY".as. or "HEWLETT-PACKARD COMPANY".as. or "HEWLETT-PACKARD COMPNAY".as. or	USPAT; US-PGPUB; DERWENT	2003/04/08 14:40
		"HEWLETT-PACKARD CORPORATION".as. or "HEWLETT-PACKARD CO LEGAL DEPT.".as.) and (("pocket pc") or (handheld))		
-	6	(("HEWLETT-PACKARD".as. or "HEWLETT-PACKARD COMANY".as. or "HEWLETT-PACKARD COMPANY".as. or "HEWLETT-PACKARD COMPNAY".as. or	USPAT; US-PGPUB; DERWENT	2003/04/08 15:39
		"HEWLETT-PACKARD COMPRATIAS. or "HEWLETT-PACKARD CO LEGAL DEPT.".as.) and (("pocket pc") or (handheld))) and (("photo detector") or		
		(photodetector) or ("light detector") or ("light sensor"))		

•	420	"automatic brightness control" or	USPAT;	2003/04/09
		"automatic contrast control"	US-PGPUB;	08:12
			EPO; JPO;	
			DERWENT	
-	55	("automatic brightness control" or	USPAT;	2003/04/09
		"automatic contrast control") and (LCD or	US-PGPUB;	08:17
		("liquid crystal display") or TFT or ("thin	EPO; JPO;	
		film transistor"))	DERWENT	
-	156	dutta-rabindranath.ln.	USPAT;	2003/04/09
			US-PGPUB;	09:09
			DERWENT	
-	273	345/102.ccls. and @ad<20010425	USPAT;	2003/04/09
			US-PGPUB;	09:09
			DERWENT	
-	3	345/102.ccls. and @ad<20010425 and	USPAT;	2003/12/29
	_	"automatic brightness control"	US-PGPUB;	09:49
			DERWENT	
-	32	345/102.ccls. and @ad<20010425 and	USPAT:	2003/08/11
		(photodetector or "light sensor")	US-PGPUB;	16:25
		(protoucted of right sensor)	DERWENT	10.23
_	417	@ad<20010425 and (PDA or (personal adj	USPAT:	2003/08/11
_	7.7	digital adj assistant) or "palm pilot" or	US-PGPUB;	16:13
		"palmtop" or "handheld") and (((multiple or	EPO; JPO;	10.13
		plural) adj (light adj (detector or sensor)) or	DERWENT	
		photodetector))	DERWENT	
-	23	(PDA or (personal adj digital adj assistant)	USPAT;	2003/08/11
		or "palm pilot" or "palmtop" or "handheld"))	US-PGPUB;	16:14
		and ((multiple or plural) adj ((light adj	EPO; JPO;	
		(detector or sensor)) or photodetector)	DERWENT	
-	50	345/864.ccls. and @ad<20010425	USPAT;	2003/11/19
			US-PGPUB;	10:24
			EPO; JPO;	
			DERWENT	
-	4	345/589.ccls. and @ad<20010425 and ((light	USPAT;	2003/11/19
		adj detector) or (photodetector))	US-PGPUB;	09:45
			EPO; JPO;	
			DERWENT	
-	173	345/207.ccls. and @ad<20010425	USPAT;	2003/11/19
			US-PGPUB;	10:24
			EPO; JPO;	
			DERWENT	
-	34	345/102.ccls. and @ad<20010425 and	USPAT;	2003/08/11
		(photodetector or "light sensor")	US-PGPUB;	16:25
			DERWENT	
•	3	345/102.ccls. and @ad<20010425 and	USPAT;	2003/08/11
		"automatic brightness control"	US-PGPUB;	16:25
		_	DERWENT	1
-	4	345/589.ccls. and @ad<20010425 and ((light	USPAT;	2003/11/19
		adj detector) or (photodetector))	US-PGPUB;	09:45
		, w	EPO; JPO;	
			DERWENT	

•	65	345/589.ccls. and @ad<20010425 and ((light	USPAT;	2003/11/19
		adj detector) or (photodetector) or (sensor))	US-PGPUB; EPO; JPO;	10:02
			DERWENT	
-	11	(US-6483245-\$ or US-6188177-\$ or	USPAT;	2003/11/19
		US-5952992-\$ or US-5747938-\$ or	US-PGPUB	09:45
		US-6479940-\$ or US-5617112-\$ or		
		US-6337675-\$ or US-5914764-\$ or		
		US-5760760-\$).did. or (US-20020163524-\$ or		
		US-20020164962-\$).did.		
•	10	((US-6483245-\$ or US-6188177-\$ or	USPAT;	2003/11/19
		US-5952992-\$ or US-5747938-\$ or	US-PGPUB;	09:46
		US-6479940-\$ or US-5617112-\$ or	DERWENT	
		US-6337675-\$ or US-5914764-\$ or		
		US-5760760-\$).did. or (US-20020163524-\$ or		
		US-20020164962-\$).did.) and (sensor or		
		detector)		
-	1	((US-6483245-\$ or US-6188177-\$ or	USPAT;	2003/11/19
		US-5952992-\$ or US-5747938-\$ or	US-PGPUB;	09:46
		US-6479940-\$ or US-5617112-\$ or	DERWENT	
		US-6337675-\$ or US-5914764-\$ or		
		US-5760760-\$).did. or (US-20020163524-\$ or		
		US-20020164962-\$).did.) and (sensor or		
		detector) and (plural or multiple)		
-	103	345/207.ccls. and @ad<20010425 and ((light	USPAT;	2003/11/19
		adj detector) or (photodetector) or (sensor))	US-PGPUB;	10:03
			EPO; JPO;	
			DERWENT	
•	99	345/102.ccls. and @ad<20010425 and ((light	USPAT;	2003/12/29
		adj detector) or (photodetector) or (sensor))	US-PGPUB;	09:48
	}		EPO; JPO;	
			DERWENT	0000140100
-	13	345/864.ccls. and @ad<20010425 and ((light	USPAT;	2003/12/29
		adj detector) or (photodetector) or (sensor))	US-PGPUB;	09:48
			EPO; JPO;	
		045/400 @	DERWENT	2002/44/40
-	99	345/102.ccls. and @ad<20010425 and ((light	USPAT;	2003/11/19
		adj detectors) or (photodetectors) or	US-PGPUB;	10:07
		(sensors))	EPO; JPO; DERWENT	
	200	245/402 calc and @add20040425 and //light		2003/12/29
•	36	345/102.ccls. and @ad<20010425 and ((light	USPAT;	09:48
		adj detectors) or (photodetectors) or	US-PGPUB;	09:40
		(sensors))	EPO; JPO; DERWENT	
	178	345/207.ccls. and @ad<20010425	USPAT;	2003/12/29
-	1/8	343/207.CCIS. aliu @au\20010423	US-PGPUB;	09:48
			EPO; JPO;	V9.70
			DERWENT	
_	52	345/864.ccls. and @ad<20010425	USPAT;	2003/11/19
-	52	CTUCUTION AND WAY TOO TOTAL	US-PGPUB;	10:24
			EPO; JPO;	
			DERWENT	

-	226790	((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(sensor)) same (surface or side or face)	US-PGPUB;	14:31
		•	DERWENT	
i	174	(((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(sensor)) same (surface or side or face))	US-PGPUB;	14:31
		and (mobile adj device)	DERWENT	
•	25762	((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(light adj sensor)) same (surface or side or	US-PGPUB;	14:32
		face)	DERWENT	
•	11	(((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(light adj sensor)) same (surface or side or	US-PGPUB;	14:32
		face)) and (mobile adj device)	DERWENT	
-	44175	((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(light adj sensor)) same (surface or side or	US-PGPUB;	14:32
		face)	EPO; JPO;	
			DERWENT	
•	250	(((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(light adj sensor)) same (surface or side or	US-PGPUB;	14:57
		face)) and ((mobile adj device) or pda or	DERWENT	
		pager)		
-	224	(((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(light adj sensor)) same (surface or side or	US-PGPUB;	14:57
		face)) and laptop	DERWENT	
-	225	((((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(light adj sensor)) same (surface or side or	US-PGPUB;	14:58
		face)) and ((mobile adj device) or pda or	DERWENT	
		pager)) not ((((light adj detector) or		
		(photodetector) or (light adj sensor)) same		
		(surface or side or face)) and laptop)		
-	199	((((light adj detector) or (photodetector) or	USPAT;	2003/12/09
		(light adj sensor)) same (surface or side or	US-PGPUB;	14:58
		face)) and laptop) not ((((light adj detector)	DERWENT	
		or (photodetector) or (light adj sensor))		
		same (surface or side or face)) and ((mobile		
		adj device) or pda or pager))		1